

**LEACHATE COLLECTION WELLS  
INTERIM OM&M MONITORING AND BAILING DATA SHEET  
WASTE DISPOSAL, INC. SUPERFUND SITE**

DATE: December 28, 2006


TECHNICIAN NAME: Baltazar

TECHNICIAN SIGNATURE 

WELL ID	BOTTOM OF WELL AFTER CONSTRUCT-ED [TOTAL DEPTH] (ft)	MEASURED BOTTOM OF WELL [TOTAL DEPTH] (ft)	GAUGING TIME		DEPTH TO LIQUID (ft)						HEIGHT OF LIQUID COLUMN (ft)		VOLUME OF LIQUID REMOVED (gallons)	COMMENTS
			Start	Finish	Start			Finish			Start	Finish		
					1 <sup>st</sup> Rdg.	2 <sup>nd</sup> Rdg.	3 <sup>rd</sup> Rdg.	1 <sup>st</sup> Rdg.	2 <sup>nd</sup> Rdg.	3 <sup>rd</sup> Rdg.				
LC-1	22.25	22.25	1034	1044	20.28	20.28	20.28	21.95	21.95	21.95				
LC-2	21.90	21.90	1056	1109	12.27	12.27	12.27	21.17	21.17	21.17				
LC-3	22.20													
LC-4	21.90	21.90	1122	1140	14.88	14.88	14.88	21.19	21.19	21.19				

W:\InterimOpMain+Mon\LeachateCollectionWells\WorkPlan+FieldForms\December2006\Dec2806LC-WellsM&B(YF1).doc

**LEACHATE COLLECTION WELLS  
INTERIM OM&M INSPECTION SHEET  
WASTE DISPOSAL, INC. SUPERFUND SITE**

INSPECTOR'S NAME	INSPECTOR'S SIGNATURE	INSPECTION TIME	INSPECTION DATE
Baltazar		1000	December 28, 2006

ITEM OF POTENTIAL CONCERN	CONDITIONS OBSERVED				COMMENTS	CHECK (•) BELOW WHEN COMPLETED
	WELL ID LC-1	WELL ID LC-2	WELL ID LC-3	WELL ID LC-4		
Wellhead (well box, cover, gasket, concrete)	OK	OK		OK		✓✓✓
Well Casing and Cap/Plug	OK	OK		OK		✓✓✓
Liquid Present in Well Box	NO	NO		NO		✓✓✓
Other:						
Other:						
Other:						

W:\InterimOpMain+Mon\LeachateCollectionWells\WorkPlan+FieldForms\December2006\Dec2806LC-WellsInspection(YF).doc

# DAILY FIELD REPORT

JOB NAME: WASTE DISPOSAL, INC. (WDI)	PROJECT NUMBER: 290316-01/1001	DATE: 12/28/2006
LOCATION: Santa Fe Springs, California	WEATHER: <i>windy</i>	DAY: Thursday
INTERIM OM&M CONTRACTOR: TRC	FOREMAN: <i>Baltazar DB</i>	
FIELD TECHNICIAN: <i>Baltazar</i>	INSPECTION/TESTING OF: LEACHATE MONITORING/CONTROL SYSTEM	

**SUMMARY OF OPERATIONS/WORK PERFORMED::**

*travel of site up and down to pick up trash and to see if it was secure. checked for damage on fence. gauge LC-1, LC-2 and LC-4 and hand bail into a 55 gallon drum. also cleaned casing and lids of each well.*

	 Customer-Focused Solutions
---	---

Note: Specific System Data and Observations are Included on "Interim OM&M Inspection Sheets" and "Interim OM&M Monitoring and Bailing Data Sheets"

**DAILY FIELD REPORT**  
 WASTE DISPOSAL, INC  
 SANTA FE SPRINGS, CALIFORNIA

**TRC**

**FIGURE J.1**